UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/044,434	01/11/2002	Peter A. Warren	FM-169J	9313
Iandiorio & Tes	7590 02/05/200 8ka	EXAMINER		
260 Bear Hill R			A, PHI DIEU TRAN	
Waltham, MA 02451-1018			ART UNIT	PAPER NUMBER
			3633	
			MAIL DATE	DELIVERY MODE
			02/05/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Applica	ation No.	Applicant(s)		
Office Action Summary		,434	WARREN, PETER A.		
		ner	Art Unit		
	PHI D.	A	3633		
The MAILING DATE of this com Period for Reply	munication appears on	the cover sheet with the c	correspondence ad	idress	
A SHORTENED STATUTORY PERIC WHICHEVER IS LONGER, FROM TH - Extensions of time may be available under the prov after SIX (6) MONTHS from the mailing date of this - If NO period for reply is specified above, the maxim - Failure to reply within the set or extended period for Any reply received by the Office later than three mc earned patent term adjustment. See 37 CFR 1.704	E MAILING DATE OF sions of 37 CFR 1.136(a). In no communication. In statutory period will apply an reply will, by statute, cause the inths after the mailing date of this	THIS COMMUNICATION event, however, may a reply be tired will expire SIX (6) MONTHS from application to become ABANDONE	N. nely filed the mailing date of this c D (35 U.S.C. § 133).		
Status					
 Responsive to communication(s This action is FINAL. Since this application is in condiction closed in accordance with the p 	2b)⊠ This action is tion for allowance exce	pt for formal matters, pro		e merits is	
Disposition of Claims					
4)	is/are withdrawn from dare rejected.	consideration.			
9) The specification is objected to be 10) The drawing(s) filed on is, Applicant may not request that any Replacement drawing sheet(s) including The oath or declaration is object.	are: a) accepted or objection to the drawing(solding the correction is req	s) be held in abeyance. Se uired if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 Cl	` '	
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Revi 3) Information Disclosure Statement(s) (PTO/SB Paper No(s)/Mail Date		4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate		

Art Unit: 3633

Claim Rejections - 35 USC § 103 1.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action: (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

1. Claims 22-43, 46, 50-51, 67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ronden (4078867) in view of Palmer (1971500) and Egres Jr. (6016848).

Ronden (figure 1) shows a foldable member comprising at least a first tube (4).

Ronden does not show the tube being made of a layers of material, at least one predetermined hinge area along the length of the first tube, a plurality of opposing elongated slots in the tube through the layers of material forming separated longitudinal strips of tube material between the slots, said tube configured to fold when subjected to localized buckling forces.

Palmer discloses a tube (4) having at least one predetermined hinge area along the length of the first tube, a plurality of opposing elongated slots in the tube through the layer of material forming separated longitudinal strips of tube material between the slots which fold when subjected to localized buckling forces.

Egres discloses a tube made of layers of material to withstand repeated flexing due to bending.

10/044,434

Art Unit: 3633

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Ronden's structure to show the tube being made of layers of material since it enables the tube to withstand repeated flexing due to bending as taught by Egres, and having the tube with at least one predetermined hinge area along the length of the first tube, a plurality of opposing elongated slots in the tube through the layer of material forming separated longitudinal strips of tube material between the slots which fold when subjected to localized buckling forces would enable the tubular member to more easily bend when needed as taught by Palmer.

Ronden as modified further shows at least one predetermined hinge area along the length of the first tube, a plurality of opposing elongated slots in the tube through the tube material forming separated longitudinal strips of tube material between the slots, the tube configured to fold at the hinge area only (the area is the are where the slots located) when subjected to localized bucking forces, a plurality of opposing slots, at least four slots, one set of two slots opposing another set of two slots, each slot of each set of elongated slots separated longitudinally along the length of the tube from each adjacent slot by a bridge element of tube material, the opposing sets of slots being diametrically opposed from each other, each slot in each set of slots is diametrically opposed from a slot in the opposing set of slots, two sets of slots and two slots in each set of slots, a stress relieving element (the edge of the slot the interior surface) attached to each bridge element on the inside of the tube, a plurality of hinge areas spaced from each other along the length of the tube, each hinge area including opposing sets of elongated slots, an electrical conductor(4) disposed in the tube, at least one transducer device(the ground) located proximate the hinge area for controlling the folding of the longitudinal strips of tube material, slot reinforcement members (the reinforcing members being the bridges), four slots in each set of slots and each slot of a pair of the four slots opposing another slot, a collapsible structure comprising a plurality of joined members (the members being the different sections of the tube joined together forming the tube).

Per claims 27, 37-39, 57, Ronden as modified shows the layers of material are laminated to each other except at the predetermined hinge area, the tube being made of a plastic material, the tube being made of a composite material, the composite material including a triaxial braid of fibers in a resin matrix (col 6 line 26, Egres Jr.), the plurality of longitudinal strips being multiply.

Per claims 23-26, Ronden et al as modified shows all the claimed limitations including the first tube including a sheet of plastic material wrapped around itself several times forming the layers of tube material.

Per claims 24-26, Ronden as modified shows an adhesive securing the layers of plastic material to each other al selected locations along the length of the tube and the adhesive being a tape (inherently so the layers of plastic material each is an adhesive tape), the sheet of plastic material comes from a roll of plastic stock material with the fibers impregnated with resin and having a round memory (when cured).

2. Claim 47 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ronden (4078867) in view of Palmer (1971500) and Egres Jr. (6016848) as applied to claim 40 above and further in view of Richards et al.

Ronden as modified shows all the claimed limitations except for each slots having a reduced diameter portion.

Richards et al discloses slots having a reduced diameter portion.

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Ronden's modified structure to show each slots having a reduced diameter portion as taught by Richards et al since it would have been an obvious matter of engineering design choice to have the slots being oval as they function the same to provide for weakening of the tube member at the slot areas. Ronden as modified shows the slots (diamond or triangular) having a reduced diameter portion.

3. Claims 44-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ronden in view of Palmer and Egres Jr (6016848).

Ronden as modified shows all the claimed limitations except for the slots being triangle shaped, or diamond shaped.

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Ronden's modified structure to show the slots being triangle shaped, or diamond shaped because triangular; diamond, rectangular, or oval shaped slots are well known shapes for slots.

4. Claims 48-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ronden in view of Egres Jr (6016848) and Palmer as applied to claim 40 and further in view of Sorenson (5598598).

Ronden as modified shows all the claimed limitations except for a second tube disposed inside the first tube, the second tube including opposing sets of elongated slots at the hinge area thereof.

Sorenson shows a second tube(60) disposed inside the first tube(32) to strengthen the tubular structure.

Art Unit: 3633

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Ronden's modified structure to show a second tube disposed inside the first tube because it would strengthen the tubular structure as taught by Sorenson.

Per claim 49, Ronden as modified shows the second including opposing sets of elongated slots at the hinge area thereof.

Response to Arguments

5. Applicant's arguments filed 10/15/09 have been fully considered but they are not persuasive.

With respect to applicant's statement that Ronden as modified does not show the member able to fold when subjected to a localized buckling force, examiner respectfully disagrees. As point out, Ronden is foldable member which is intended to fold when needed. As modified, Ronden shows a foldable member having a predetermined hinge area which are made up of elongated opposing slots. As the resulting member are weakened due to the elongated slots at the predetermined hinge area, a localized buckling force would fold the member at the predetermined hinge area only since it is weakest there. The face that Ronden is a traffic marker tube does not prevent the modified reference from being able to function as claimed. As modified, Ronden's tubular member would be able to more easily bend when needed. The argument is thus not persuasive.

With respect to applicant's statement to Palmer not showing a hinge area, the reference shows the claimed hinge area. There is not structural difference between applicant's claimed hinge area and that shown in Palmer; the reference thus shows the claimed "hinge area".

Application/Control Number:

10/044,434

Art Unit: 3633

Page 7

6. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re*

Merck & Co., 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

7. In response to applicant's argument that Ronden, and Palmer, is nonanalogous art, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, the prior art is reasonably pertinent to the particular problem with which the applicant was concerned. Ronden is to a tubular member which needs to be bent. Palmer discloses a tube that is able to bend due to is opposing slots. Applicant's invention is to allowing bending of a tubular member. The references thus are reasonably pertinent to the particular problem with which applicant was concerned.

Applicant's arguments to other claims and references are also not persuasive in light of the reasoning set forth above.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Phi D A whose telephone number is 571-272-6864. The

examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Brian Glessner can be reached on 571-272-6843. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Phi D A/

Primary Examiner, Art Unit 3633

Phi Dieu Tran A

2/2/09

Application/Control Number: 10/044,434 Art Unit: 3633

Page 9